

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



**J. S. DEPARTMENT OF AGRICULTURE**  
**Agricultural Marketing Service - Cotton Program**  
**Memphis, Tennessee**

***UNITED STATES***  
***Cotton Quality Report***



***Classings Through November 1, 2007***

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through November 1, 2007

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	-	-	19	191	1,152	6,202	23,633	64,753	95,950
	3	-	-	87	412	2,042	7,432	20,880	44,777	75,630
	4	-	-	20	101	371	1,235	3,117	5,764	10,608
	5	-	-	-	-	15	78	169	278	540
	6	-	-	-	-	1	1	1	3	6
	7	-	-	-	-	-	1	-	1	2
	<b>TOTAL----</b>	-	-	<b>126</b>	<b>704</b>	<b>3,581</b>	<b>14,949</b>	<b>47,800</b>	<b>115,576</b>	<b>182,736</b>
31	1-2	-	-	4	52	437	2,068	4,742	6,404	13,707
	3	-	-	120	1,554	12,300	51,078	149,879	222,215	437,146
	4	-	-	152	956	4,917	19,619	63,922	129,321	218,887
	5	-	-	18	106	472	1,798	4,808	9,801	17,003
	6	-	-	5	17	54	215	404	739	1,434
	7	-	-	-	1	8	19	47	63	138
	<b>TOTAL----</b>	-	-	<b>299</b>	<b>2,686</b>	<b>18,188</b>	<b>74,797</b>	<b>223,802</b>	<b>368,543</b>	<b>688,315</b>
41	1-2	-	-	1	10	136	728	1,521	1,540	3,936
	3	-	-	62	862	8,554	35,188	116,074	185,311	346,051
	4	-	-	111	710	4,903	28,227	137,493	362,590	534,034
	5	-	-	71	296	1,265	4,330	18,793	62,364	87,119
	6	-	-	7	39	215	677	2,221	6,976	10,135
	7	-	-	-	6	52	161	416	952	1,587
	<b>TOTAL----</b>	-	-	<b>252</b>	<b>1,923</b>	<b>15,125</b>	<b>69,311</b>	<b>276,518</b>	<b>619,733</b>	<b>982,862</b>
51	1-2	-	-	-	-	8	122	271	132	533
	3	-	-	-	15	153	928	3,303	3,710	8,109
	4	-	-	2	14	137	967	5,249	12,311	18,680
	5	-	-	1	13	108	321	1,459	5,864	7,766
	6	-	-	2	1	34	116	414	1,983	2,550
	7	-	-	-	-	3	25	108	478	614
	<b>TOTAL----</b>	-	-	<b>5</b>	<b>43</b>	<b>443</b>	<b>2,479</b>	<b>10,804</b>	<b>24,478</b>	<b>38,252</b>
61	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	2	-	1	7	11	21
	4	-	-	-	-	-	10	74	99	183
	5	-	-	-	-	-	8	46	79	133
	6	-	-	-	-	-	-	3	-	3
	7	-	-	-	-	-	1	-	-	1
	<b>TOTAL----</b>	-	-	-	<b>2</b>	-	<b>20</b>	<b>130</b>	<b>189</b>	<b>341</b>
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	1	-	-	1
	4	-	-	-	-	-	-	-	1	1
	5	-	-	-	-	-	-	-	2	2
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	<b>1</b>	-	<b>3</b>	<b>4</b>
12 & 22	1-2	-	-	4	34	145	547	1,365	2,495	4,590
	3	-	-	14	90	465	1,559	3,446	5,793	11,367
	4	-	-	5	30	127	519	1,007	1,871	3,559
	5	-	-	-	4	6	22	60	241	333
	6	-	-	-	-	-	3	6	17	26
	7	-	-	-	-	-	-	-	1	1
	<b>TOTAL----</b>	-	-	<b>23</b>	<b>158</b>	<b>743</b>	<b>2,650</b>	<b>5,884</b>	<b>10,418</b>	<b>19,876</b>
32	1-2	-	-	1	6	130	313	417	362	1,229
	3	-	-	19	309	2,675	12,727	18,891	16,795	51,416
	4	-	-	54	256	1,496	6,722	12,593	16,433	37,554
	5	-	-	4	60	182	717	1,561	2,377	4,901
	6	-	-	-	5	21	122	262	335	745
	7	-	-	-	-	5	25	39	52	121
	<b>TOTAL----</b>	-	-	<b>78</b>	<b>636</b>	<b>4,509</b>	<b>20,626</b>	<b>33,763</b>	<b>36,354</b>	<b>95,966</b>
42	1-2	-	-	1	12	145	682	804	558	2,202
	3	-	-	12	269	5,489	35,223	57,784	64,458	163,235
	4	-	-	42	424	3,502	25,937	66,528	121,842	218,275
	5	-	-	46	209	600	3,742	12,033	31,867	48,497
	6	-	-	7	30	112	510	1,316	3,454	5,429
	7	-	-	1	9	28	102	139	314	593
	<b>TOTAL----</b>	-	-	<b>109</b>	<b>953</b>	<b>9,876</b>	<b>66,196</b>	<b>138,604</b>	<b>222,493</b>	<b>438,231</b>
52	1-2	-	-	-	1	23	96	120	86	326
	3	-	-	-	6	174	1,237	3,550	6,979	11,946
	4	-	-	1	10	234	1,937	7,846	21,687	31,715
	5	-	-	2	5	94	842	2,960	10,591	14,494
	6	-	-	-	1	42	237	692	2,264	3,236
	7	-	-	-	-	22	51	124	366	563
	<b>TOTAL----</b>	-	-	<b>3</b>	<b>23</b>	<b>589</b>	<b>4,400</b>	<b>15,292</b>	<b>41,973</b>	<b>62,280</b>

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through November 1, 2007

QUALITY	LEAF	STAPLE								
COLOR		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	-	-	-	-	2	2
	3	-	-	-	-	-	6	21	61	88
	4	-	-	-	-	-	46	251	473	770
	5	-	-	-	-	-	13	177	406	596
	6	-	-	-	-	-	2	12	28	42
	7	-	-	-	-	-	-	-	4	4
<b>TOTAL----</b>		-	-	-	-	-	<b>67</b>	<b>461</b>	<b>974</b>	<b>1,502</b>
13 & 23	1-2	-	-	-	-	2	17	57	53	129
	3	-	-	-	4	31	144	248	239	666
	4	-	-	-	1	3	21	72	101	198
	5	-	-	-	-	-	-	6	10	16
	6	-	-	-	-	-	-	1	-	1
	7	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	<b>5</b>	<b>36</b>	<b>182</b>	<b>384</b>	<b>403</b>	<b>1,010</b>
33	1-2	-	-	-	-	12	57	50	17	136
	3	-	-	-	39	422	1,910	1,802	823	4,996
	4	-	-	-	14	130	731	988	621	2,484
	5	-	-	1	6	15	63	79	78	242
	6	-	-	-	-	4	13	16	6	39
	7	-	-	-	-	2	-	1	-	3
<b>TOTAL----</b>		-	-	<b>1</b>	<b>59</b>	<b>585</b>	<b>2,774</b>	<b>2,936</b>	<b>1,545</b>	<b>7,900</b>
43	1-2	-	-	-	9	168	398	281	102	958
	3	-	-	1	149	3,970	18,928	18,298	8,525	49,871
	4	-	-	4	130	2,167	11,969	17,109	12,798	44,177
	5	-	-	1	27	185	1,221	2,220	2,200	5,854
	6	-	-	1	32	66	197	305	228	829
	7	-	-	4	48	67	66	46	28	259
<b>TOTAL----</b>		-	-	<b>11</b>	<b>395</b>	<b>6,623</b>	<b>32,779</b>	<b>38,259</b>	<b>23,881</b>	<b>101,948</b>
53	1-2	-	-	-	-	5	17	43	45	110
	3	-	-	-	3	191	1,097	1,533	1,911	4,735
	4	-	-	-	7	214	1,698	3,565	5,516	11,000
	5	-	-	-	5	91	508	1,362	2,288	4,254
	6	-	-	-	-	12	91	290	401	794
	7	-	-	-	-	6	49	65	77	197
<b>TOTAL----</b>		-	-	-	<b>15</b>	<b>519</b>	<b>3,460</b>	<b>6,858</b>	<b>10,238</b>	<b>21,090</b>
63	1-2	-	-	-	-	1	2	-	14	17
	3	-	-	-	-	-	2	32	56	90
	4	-	-	-	-	-	8	109	695	812
	5	-	-	-	-	1	7	56	503	567
	6	-	-	-	-	-	-	5	39	44
	7	-	-	-	-	-	-	1	-	1
<b>TOTAL----</b>		-	-	-	-	<b>2</b>	<b>19</b>	<b>203</b>	<b>1,307</b>	<b>1,531</b>
24-54	1-7	-	-	-	2	90	252	402	407	1,153
25-35	1-7	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	2	16	37	275	330
All Colors	8 2/	-	-	2	15	19	38	118	110	302
<b>TOTAL, ALL----</b>		-	-	<b>909</b>	<b>7,619</b>	<b>60,930</b>	<b>295,016</b>	<b>802,255</b>	<b>1,478,900</b>	<b>2,645,629</b>

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through November 1, 2007

QUALITY		STAPLE							
	LEAF	35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	126,080	144,870	127,239	34,401	12,088	4,351	449,029	544,979
	3	69,497	75,005	64,360	14,823	2,742	208	226,635	302,265
	4	7,982	7,744	5,166	1,277	239	18	22,426	33,034
	5	447	442	215	50	7	1	1,162	1,702
	6	14	14	3	1	-	-	32	38
	7	4	1	-	-	-	-	5	7
	TOTAL----		204,024	228,076	196,983	50,552	15,076	4,578	699,289
31	1-2	6,649	6,798	13,591	9,634	8,744	2,820	48,236	61,943
	3	161,212	71,316	39,441	14,601	3,729	628	290,927	728,072
	4	137,523	70,831	33,251	13,872	3,383	214	259,074	477,961
	5	13,816	9,821	3,677	696	211	28	28,249	45,252
	6	1,300	1,227	597	19	2	-	3,145	4,579
	7	118	86	51	1	-	-	256	394
	TOTAL----		320,618	160,079	90,608	38,823	16,069	3,690	629,887
41	1-2	1,144	597	357	96	146	23	2,363	6,299
	3	154,306	76,718	43,707	12,001	1,242	43	288,017	634,068
	4	444,829	235,803	165,430	62,573	10,287	403	919,325	1,453,359
	5	116,160	83,407	47,570	15,103	3,225	194	265,659	352,778
	6	17,736	20,732	11,422	892	88	6	50,876	61,011
	7	2,651	3,610	2,689	209	9	2	9,170	10,757
	TOTAL----		736,826	420,867	271,175	90,874	14,997	671	1,535,410
51	1-2	23	14	12	-	-	-	49	582
	3	2,646	1,754	1,975	621	30	-	7,026	15,135
	4	17,061	16,823	35,628	13,457	71	296	83,336	102,016
	5	14,990	18,499	25,937	8,660	1,092	32	69,210	76,976
	6	6,775	10,827	7,254	879	99	5	25,839	28,389
	7	1,767	3,625	3,311	214	3	1	8,921	9,535
	TOTAL----		43,262	51,542	74,117	23,831	2,373	71	195,196
61	1-2	-	-	-	-	-	-	-	-
	3	9	1	1	-	-	-	11	32
	4	66	62	101	20	-	-	249	432
	5	92	302	499	95	1	-	989	1,122
	6	25	119	265	60	3	-	472	475
	7	2	10	38	16	-	-	66	67
	TOTAL----		194	494	904	191	4	-	1,787
71	1-2	1	-	-	-	-	-	1	1
	3	1	2	-	-	-	-	3	4
	4	1	-	1	3	-	-	5	6
	5	-	1	4	1	-	-	6	8
	6	-	2	2	-	-	-	4	4
	7	-	2	1	-	1	-	4	4
	TOTAL----		3	7	8	4	1	-	23
12 & 22	1-2	4,063	3,009	1,597	335	140	27	9,171	13,761
	3	7,577	4,164	1,594	340	72	3	13,750	25,117
	4	2,418	1,078	347	49	18	-	3,910	7,469
	5	306	147	64	1	-	-	518	851
	6	22	7	5	-	-	-	34	60
	7	1	1	-	-	-	-	2	3
	TOTAL----		14,387	8,406	3,607	725	230	30	27,385
32	1-2	192	112	297	258	265	34	1,158	2,387
	3	10,886	4,046	976	252	109	17	16,286	67,702
	4	15,462	7,238	1,940	555	104	16	25,315	62,869
	5	2,718	1,794	659	103	23	12	5,309	10,210
	6	334	347	148	4	1	-	834	1,579
	7	90	132	18	3	-	-	243	364
	TOTAL----		29,682	13,669	4,038	1,175	502	79	49,145
42	1-2	216	70	30	17	62	5	400	2,602
	3	50,415	16,947	3,662	438	54	6	71,522	234,757
	4	147,918	67,732	25,908	5,704	1,006	63	248,331	466,606
	5	52,682	33,038	12,475	3,646	913	77	102,831	151,328
	6	6,320	5,491	2,198	226	35	2	14,272	19,701
	7	657	614	289	36	3	-	1,599	2,192
	TOTAL----		258,208	123,892	44,562	10,067	2,073	153	438,955
52	1-2	53	10	3	-	-	-	66	392
	3	5,710	2,309	899	95	5	-	9,018	20,964
	4	34,221	24,228	20,656	3,535	282	13	82,935	114,650
	5	24,908	23,232	20,641	5,126	840	61	74,808	89,302
	6	5,813	5,894	3,252	579	94	4	15,636	18,872
	7	1,079	1,406	1,127	98	7	-	3,717	4,280
	TOTAL----		71,784	57,079	46,578	9,433	1,228	78	186,180

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through November 1, 2007

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 & +	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	-	-	-	-	2
	3	77	49	19	2	-	-	147	235
	4	468	571	545	64	5	-	1,653	2,423
	5	592	962	865	125	12	-	2,556	3,152
	6	117	215	449	65	7	-	853	895
	7	12	11	97	17	2	1	140	144
<b>TOTAL----</b>		<b>1,266</b>	<b>1,808</b>	<b>1,975</b>	<b>273</b>	<b>26</b>	<b>1</b>	<b>5,349</b>	<b>6,851</b>
13 & 23	1-2	61	68	73	2	-	-	204	333
	3	230	173	116	28	5	-	552	1,218
	4	77	47	39	25	2	-	190	388
	5	7	3	8	4	-	-	22	38
	6	2	-	1	-	-	-	3	4
	7	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		<b>377</b>	<b>291</b>	<b>237</b>	<b>59</b>	<b>7</b>	<b>-</b>	<b>971</b>	<b>1,981</b>
33	1-2	24	24	12	1	-	4	65	201
	3	478	228	140	23	2	1	872	5,868
	4	443	250	157	55	7	3	915	3,399
	5	102	91	46	6	2	6	253	495
	6	6	12	7	-	-	-	25	64
	7	2	4	-	-	-	-	6	9
<b>TOTAL----</b>		<b>1,055</b>	<b>609</b>	<b>362</b>	<b>85</b>	<b>11</b>	<b>14</b>	<b>2,136</b>	<b>10,036</b>
43	1-2	44	14	9	1	-	-	68	1,026
	3	3,118	915	393	95	22	1	4,544	54,415
	4	7,326	3,033	1,697	815	187	12	13,070	57,247
	5	1,865	1,204	567	341	140	12	4,129	9,983
	6	217	154	78	25	9	-	483	1,312
	7	22	28	9	3	1	-	63	322
<b>TOTAL----</b>		<b>12,592</b>	<b>5,348</b>	<b>2,753</b>	<b>1,280</b>	<b>359</b>	<b>25</b>	<b>22,357</b>	<b>124,305</b>
53	1-2	30	9	2	-	-	-	41	151
	3	1,191	472	235	46	10	2	1,956	6,691
	4	7,471	5,609	4,125	921	118	24	18,268	29,268
	5	5,024	4,760	3,767	893	149	12	14,605	18,859
	6	512	496	322	119	42	2	1,493	2,287
	7	80	85	69	15	12	1	262	459
<b>TOTAL----</b>		<b>14,308</b>	<b>11,431</b>	<b>8,520</b>	<b>1,994</b>	<b>331</b>	<b>41</b>	<b>36,625</b>	<b>57,715</b>
63	1-2	-	-	-	-	-	-	-	17
	3	54	39	14	-	-	-	107	197
	4	722	860	553	63	4	-	2,202	3,014
	5	1,069	1,328	1,253	188	13	1	3,852	4,419
	6	141	206	211	48	8	-	614	658
	7	13	14	12	6	1	-	46	47
<b>TOTAL----</b>		<b>1,999</b>	<b>2,447</b>	<b>2,043</b>	<b>305</b>	<b>26</b>	<b>1</b>	<b>6,821</b>	<b>8,352</b>
24-54	1-7	423	416	379	158	60	6	1,442	2,595
25-35	1-7	-	-	-	-	-	-	-	-
81-85 1/	1-7	378	449	368	56	12	2	1,265	1,595
All Colors	8 2/	205	337	326	38	-	-	906	1,208
<b>TOTAL, ALL-----</b>		<b>1,711,591</b>	<b>1,087,247</b>	<b>749,543</b>	<b>229,923</b>	<b>53,385</b>	<b>9,440</b>	<b>3,841,129</b>	<b>6,486,758</b>
EXTRANEEOUS MATTER		Average Staple -----							34.9
Bark - Level 1		Percent Tenderable -----							63.5
Bark - Level 2									
Grass - Level 1									
Grass - Level 2									
Prep - Level 1									
Prep - Level 2									
Other - Level 1									
Other - Level 2									

6,486,758 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE																
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	-	-	*	*	*	0.1	0.4	1.0	1.9	2.2	2.0	0.5	0.2	0.1	8.4		
	3	-	-	*	*	*	0.1	0.3	0.7	1.1	1.2	1.0	0.2	*	*	4.7		
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
TOTAL----		-	-	*	*	0.1	0.2	0.7	1.8	3.1	3.5	3.0	0.8	0.2	0.1	13.6		
31	1-2	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.2	0.1	0.1	*	1.0		
	3	-	-	*	*	0.2	0.8	2.3	3.4	2.5	1.1	0.6	0.2	0.1	*	11.2		
	4	-	-	*	*	0.1	0.3	1.0	2.0	2.1	1.1	0.5	0.2	*	*	7.4		
	5	-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	0.7		
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1		
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
TOTAL----		-	-	*	*	0.3	1.2	3.5	5.7	4.9	2.5	1.4	0.6	0.2	0.1	20.3		
41	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1		
	3	-	-	*	*	0.1	0.5	1.8	2.9	2.4	1.2	0.7	0.2	*	*	9.8		
	4	-	-	*	*	0.1	0.4	2.1	5.6	6.9	3.6	2.6	1.0	0.2	*	22.4		
	5	-	-	*	*	*	0.1	0.3	1.0	1.8	1.3	0.7	0.2	*	*	5.4		
	6	-	-	*	*	*	*	*	0.1	0.3	0.3	0.2	*	*	*	0.9		
	7	-	-	-	*	*	*	*	*	0.1	*	*	*	*	*	0.2		
TOTAL----		-	-	*	*	0.2	1.1	4.3	9.6	11.4	6.5	4.2	1.4	0.2	*	38.8		
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	*	*	*	0.1	*	*	*	*	*	*	0.2		
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.5	0.2	*	*	1.6		
	5	-	-	*	*	*	*	*	0.1	0.2	0.3	0.4	0.1	*	*	1.2		
	6	-	-	*	*	*	*	*	*	0.1	0.2	0.1	*	*	*	0.4		
	7	-	-	-	-	*	*	*	*	*	0.1	*	*	*	*	0.1		
TOTAL----		-	-	*	*	*	*	0.2	0.4	0.7	0.8	1.1	0.4	*	*	3.6		
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
12 & 22	1-2	-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	0.2		
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4		
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1		
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
TOTAL----		-	-	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.7		
32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	*	*	*	0.2	0.3	0.3	0.2	0.1	*	*	*	*	1.0		
	4	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	1.0		
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2		
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
TOTAL----		-	-	*	*	0.1	0.3	0.5	0.6	0.5	0.2	0.1	*	*	*	2.2		
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	*	*	0.1	0.5	0.9	1.0	0.8	0.3	0.1	*	*	*	3.6		
	4	-	-	*	*	*	0.4	1.0	1.9	2.3	1.0	0.4	0.1	*	*	7.2		
	5	-	-	*	*	*	0.1	0.2	0.5	0.8	0.5	0.2	0.1	*	*	2.3		
	6	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3		
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
TOTAL----		-	-	*	*	0.2	1.0	2.1	3.4	4.0	1.9	0.7	0.2	*	*	13.5		
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3		
	4	-	-	*	*	*	*	0.1	0.3	0.5	0.4	0.3	*	*	*	1.8		
	5	-	-	*	*	*	*	*	0.2	0.4	0.4	0.3	0.1	*	*	1.4		
	6	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3		
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1		
TOTAL----		-	-	*	*	*	0.1	0.2	0.6	1.1	0.9	0.7	0.1	*	*	3.8		

\* Less than 0.05 percent.

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	-	*	*	-	-	-	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	0.1	0.3	0.3	0.1	*	*	*	*	*	*	0.8
	4	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	*	*	*	0.9
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	0.1	0.5	0.6	0.4	0.2	0.1	*	*	*	*	1.9
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	0.9
63	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL, ALL-----		-	-	*	0.1	0.9	4.5	12.4	22.8	26.4	16.8	11.6	3.5	0.8	0.1	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.7															
Bark - Level 2	*															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															
		Average Staple 34.9														
		Percent Tenderable 63.5														

6,486,758 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	-	0.4
	3	-	-	*	*	0.2	0.9	1.7	1.1	0.4	*	*	*	-	-	4.3
	4	-	-	-	*	0.1	0.2	0.4	0.4	0.1	*	*	*	-	-	1.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	0.3	1.2	2.2	1.5	0.5	0.1	*	*	-	-	5.9
31	1-2	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	3	-	-	*	0.2	1.2	4.9	9.5	8.0	2.8	0.5	0.1	*	*	-	27.2
	4	-	-	*	0.2	1.1	3.9	7.7	7.9	4.2	1.0	0.2	*	-	-	26.1
	5	-	-	*	*	0.1	0.4	0.8	1.0	0.6	0.2	0.1	*	-	-	3.4
	6	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	-	-	-	0.5
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	TOTAL----	-	-	*	0.4	2.5	9.4	18.3	17.2	7.7	1.8	0.4	*	*	-	57.6
41	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	*	*	0.2	0.8	1.7	1.7	0.6	0.1	*	-	-	-	5.1
	4	-	-	*	*	0.3	1.5	3.2	3.3	2.0	0.5	0.1	*	*	-	10.8
	5	-	-	*	*	0.1	0.3	0.8	0.9	0.6	0.3	0.1	*	*	-	3.2
	6	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	-	0.7
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	TOTAL----	-	-	*	*	0.5	2.7	6.0	6.1	3.4	1.0	0.3	*	*	-	20.0
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.1	0.1	*	-	-	-	-	0.6
	4	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.2	0.4	0.3	0.1	*	-	-	-	-	1.0
32	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	0.1	0.4	0.7	0.6	0.3	0.1	*	-	-	-	2.2
	4	-	-	*	*	0.2	0.7	1.3	1.3	0.8	0.2	*	-	-	-	4.4
	5	-	-	-	*	*	0.1	0.2	0.3	0.2	0.2	*	*	*	-	1.1
	6	-	-	-	*	*	*	0.1	*	*	0.1	*	*	-	-	0.4
	7	-	-	-	-	*	*	*	*	*	0.1	*	*	-	-	0.1
	TOTAL----	-	-	*	0.1	0.3	1.3	2.4	2.1	1.3	0.5	0.1	*	*	-	8.2
42	1-2	-	-	-	-	-	0.1	0.2	0.2	0.2	*	*	-	-	-	0.7
	3	-	-	-	*	*	0.1	0.3	0.7	0.8	0.6	0.2	*	*	-	2.9
	4	-	-	*	*	*	0.1	0.3	0.3	0.3	0.2	0.1	*	*	-	1.4
	5	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	0.1	0.2	0.6	1.3	1.4	1.2	0.6	0.2	*	*	-	5.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.2

\* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	0.1	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	0.1	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	*	0.5
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.2	0.2	0.1	0.1	*	*	*	*	0.6
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	*	0.6	3.9	15.6	31.1	29.2	14.5	4.1	1.0	0.1	*	-	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.6														
Bark - Level 2		*														
Grass - Level 1		0.3														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

200,478 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE															TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	0.2	1.7	9.2	24.6	22.6	10.8	0.9	*	*	70.1	
	3	-	-	-	-	-	"	0.2	1.2	3.6	4.2	3.5	0.6	0.1	"	13.3	
	4	-	-	-	-	-	-	-	"	0.2	0.2	0.1	"	*	-	0.6	
	5	-	-	-	-	-	-	-	-	"	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	0.2	1.9	10.5	28.3	27.1	14.4	1.5	0.1	*	83.9	
31	1-2	-	-	-	-	*	*	0.2	0.5	1.1	1.3	1.1	0.1	*	-	4.3	
	3	-	-	-	-	-	*	0.1	0.4	0.6	0.4	0.5	0.2	*	*	2.2	
	4	-	-	-	-	-	*	-	0.1	0.1	0.1	0.1	*	*	*	0.5	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	*	0.1	0.3	0.9	1.8	1.9	1.7	0.4	*	*	7.1	
41	1-2	-	-	-	-	-	-	*	*	*	0.1	*	-	-	-	0.2	
	3	-	-	-	-	-	*	-	*	*	*	*	*	*	-	0.1	
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3	
51	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22	1-2	-	-	-	-	*	*	0.1	0.8	2.4	1.8	0.3	*	-	-	5.4	
	3	-	-	-	-	-	*	*	0.2	0.7	1.1	0.2	*	-	-	2.3	
	4	-	-	-	-	-	*	*	*	*	0.2	0.1	*	-	-	0.3	
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	*	*	0.1	1.0	3.1	3.1	0.7	*	-	-	8.0	
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1	
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.2	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	0.4	
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	

\* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1		
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	0.1	
33	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	5	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	4	-	-	-	-	-	-	*	-	*	-	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL-----		-	-	-	-	*	0.3	2.4	12.5	33.5	32.4	16.9	1.8	0.2	*	100.0		
EXTRANEEOUS MATTER																Average Staple		35.5
																Percent Tenderable		81.0
Bark - Level 1		0.1																
Bark - Level 2		-																
Grass - Level 1		0.2																
Grass - Level 2		-																
Prep - Level 1		-																
Prep - Level 2		-																
Other - Level 1		0.1																
Other - Level 1		-																

103,233 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	*	0.2	0.1	*	*	*	-	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	*	*	*	<b>0.1</b>	<b>0.3</b>	<b>0.2</b>	*	*	*	-	<b>0.6</b>
31	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	0.1	0.9	2.0	2.6	1.2	0.2	*	*	-	7.1
	4	-	-	-	-	*	*	0.3	1.2	2.6	1.3	0.3	*	*	-	5.8
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>	-	-	-	*	*	<b>0.1</b>	<b>1.2</b>	<b>3.3</b>	<b>5.4</b>	<b>2.7</b>	<b>0.6</b>	*	*	-	<b>13.3</b>
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	0.1	0.8	2.6	4.3	2.1	0.4	*	*	-	10.2
	4	-	-	-	-	*	*	1.3	6.8	14.3	6.9	1.2	*	*	-	30.6
	5	-	-	-	*	*	*	0.1	1.1	3.5	2.6	0.9	0.1	*	*	8.3
	6	-	-	-	-	-	*	*	0.1	0.4	0.5	0.3	*	*	-	1.3
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	<b>TOTAL----</b>	-	-	-	*	*	<b>0.1</b>	<b>2.2</b>	<b>10.6</b>	<b>22.5</b>	<b>12.1</b>	<b>2.9</b>	<b>0.1</b>	*	*	<b>50.6</b>
51	1-2	-	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.2
	3	-	-	-	-	-	-	*	*	0.5	0.4	0.1	*	*	-	1.2
	4	-	-	-	-	*	*	*	0.2	0.5	0.5	0.2	*	*	-	1.4
	5	-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	-	0.8
	6	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	*	*	*	<b>0.4</b>	<b>1.5</b>	<b>1.3</b>	<b>0.4</b>	*	*	-	<b>3.6</b>
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	0.1	0.2	*	*	*	*	-	0.3
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	-	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	*	*	*	-	<b>0.4</b>
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	0.1	0.2	0.3	0.1	*	*	*	*	-	0.7
	4	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	*	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>	-	-	-	-	*	*	<b>0.1</b>	<b>0.4</b>	<b>0.6</b>	<b>0.3</b>	*	*	*	-	<b>1.4</b>
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	0.1	0.6	1.6	2.1	0.8	0.1	*	*	-	5.2
	4	-	-	-	*	*	0.1	0.7	3.3	5.7	2.3	0.2	*	*	-	12.3
	5	-	-	-	-	*	*	0.1	0.7	1.8	1.1	0.3	*	*	-	3.9
	6	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	0.5
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>	-	-	-	*	*	<b>0.2</b>	<b>1.4</b>	<b>5.6</b>	<b>9.7</b>	<b>4.4</b>	<b>0.7</b>	*	*	-	<b>22.1</b>
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	*	-	0.7
	4	-	-	-	-	*	*	0.1	0.8	1.4	0.5	0.1	*	*	-	2.9
	5	-	-	-	-	*	*	*	0.4	1.0	0.6	0.1	*	*	-	2.1
	6	-	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	*	-	0.7
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	<b>TOTAL----</b>	-	-	-	-	*	*	<b>0.2</b>	<b>1.5</b>	<b>2.9</b>	<b>1.5</b>	<b>0.3</b>	*	*	-	<b>6.5</b>

\* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	*	*	*	-	*	-	-	-	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2	
	4	-	-	-	-	*	*	*	0.1	0.2	*	*	*	-	-	0.4	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.7	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	*	-	*	*	*	-	-	-	0.1	
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.4	
	5	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.1	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
TOTAL----		-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	-	-	0.6	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	-	-	-	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
TOTAL, ALL-----		-	-	-	*	*	0.5	5.4	22.5	43.6	22.9	4.9	0.3	*	*	100.0	
EXTRANEEOUS MATTER																Average Staple	35.0
																Percent Tenderable	61.4
Bark - Level 1		*															
Bark - Level 2		-															
Grass - Level 1		*															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		*															

1,187,557 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.1	1.2	5.0	12.6	24.7	12.1	5.9	2.4	64.1
	3	-	-	-	-	-	-	-	0.1	0.3	1.2	1.5	0.6	0.4	0.1	4.2
	4	-	-	-	-	-	-	-	-	-	0.1	0.1	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.1	1.2	5.3	13.9	26.2	12.7	6.3	2.5	68.4
31	1-2	-	-	-	-	-	-	-	0.3	1.0	1.6	6.1	5.1	4.8	1.6	20.5
	3	-	-	-	-	-	-	*	0.1	0.5	1.0	2.2	1.4	1.1	0.3	6.7
	4	-	-	-	-	-	-	*	-	-	0.6	0.6	0.1	0.1	*	1.6
	5	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.5	1.6	3.4	9.0	6.6	6.0	1.9	29.0
41	1-2	-	-	-	-	-	-	-	*	*	*	*	*	0.1	*	0.2
	3	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	0.3	0.1	*	*	*	0.5
	5	-	-	-	-	-	-	-	*	*	0.2	0.2	*	*	*	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	0.1	0.6	0.5	0.1	0.1	*	1.4
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	0.1	0.2	0.1	0.1	*	0.5
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	0.5
32	1-2	-	-	-	-	-	-	-	-	*	-	0.1	0.1	0.1	*	0.5
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	*	0.2	0.2	0.2	*	0.6
42	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
52	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*

\* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL-----		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	3	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL-----		-	-	-	-	-	-	-	-	*	-	*	-	-	*	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	-	-	-	*	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL-----		-	-	-	-	*	0.1	0.2	1.7	7.1	18.1	36.0	19.6	12.7	4.5	100.0	
EXTRANEEOUS MATTER																Average Staple	37.2
																Percent Tenderable	97.4
Bark - Level 1		*															
Bark - Level 2		-															
Grass - Level 1		0.2															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

180,329 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.3
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.3
31	1-2	-	-	-	-	*	0.1	0.2	*	*	-	-	-	-	-	0.4
	3	-	-	-	*	0.1	2.0	7.1	10.4	4.2	0.5	*	-	-	-	24.2
	4	-	-	-	-	*	0.5	2.1	3.7	2.0	0.3	*	-	-	-	8.6
	5	-	-	-	-	-	-	*	0.1	0.1	-	-	*	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	2.6	9.4	14.3	6.3	0.8	*	*	-	-	33.5
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	0.1	2.0	8.4	10.9	3.8	0.4	*	*	*	-	25.7
	4	-	-	-	*	0.1	1.3	5.5	11.6	7.3	1.4	0.1	*	-	-	27.4
	5	-	-	-	-	*	*	0.1	0.8	0.6	0.1	0.1	*	-	-	1.7
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.2	3.4	14.1	23.3	11.7	1.9	0.2	*	*	-	54.9
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	-	*	0.3	0.7	0.3	0.1	*	-	-	-	1.6
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	-	-	0.2
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	0.1	0.5	1.0	0.5	0.1	0.2	*	-	-	2.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	-	*	-	-	-	-	0.1
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	0.1	0.4	0.7	0.3	0.1	*	-	-	-	-	1.5
	4	-	-	-	-	*	0.2	0.5	0.3	0.4	0.1	*	-	-	-	1.6
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	0.6	1.1	0.7	0.6	0.2	*	-	-	-	3.3
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
	4	-	-	-	-	*	0.3	0.5	0.8	0.8	0.3	*	-	-	-	2.7
	5	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.8
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	0.1	*	-	-	*
	TOTAL----	-	-	-	-	*	0.4	0.7	1.2	1.3	0.5	0.1	*	-	-	4.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	-	*	-	-	-	-	-
	4	-	-	-	-	*	-	0.1	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	*	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5

\* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	*	0.1	*	*	*	-	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	*	0.1	0.2	*	*	*	*	-	-	-	0.4
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	-	-	-	0.4
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>TOTAL, ALL-----</b>		-	-	-	*	0.4	7.4	26.3	40.9	20.7	3.7	0.6	*	*	-	100.0
<b>EXTRANEEOUS MATTER</b>																
Bark - Level 1		0.6														
Bark - Level 2		-														
Grass - Level 1		0.3														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

32,991 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.1
	3	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
31	1-2	-	-	-	*	*	*	0.2	0.2	*	*	-	-	-	-	0.4
	3	-	-	-	*	0.5	2.1	8.0	10.8	4.7	0.6	*	*	*	-	26.7
	4	-	-	*	*	*	0.2	1.1	2.1	1.6	0.4	*	*	*	-	5.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.5	2.4	9.2	13.1	6.4	1.0	0.1	*	*	-	32.8
41	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	*	0.3	2.7	10.7	13.5	5.2	0.7	*	*	*	-	33.2
	4	-	-	-	*	0.1	0.9	4.9	10.7	7.6	2.0	0.2	*	*	-	26.5
	5	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	-	1.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.4	3.6	15.9	24.5	13.1	2.9	0.3	*	*	-	60.9
51	1-2	-	-	-	*	*	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.4
	4	-	-	-	*	*	*	0.3	0.5	0.2	0.1	*	*	-	*	1.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.4	0.7	0.3	0.1	*	*	-	-	1.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	-	*	*	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	-	*	-	-	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	-	0.1	*	*	*	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	-	0.1	0.1	0.1	*	*	*	-	-	0.4
42	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	*	*	*	0.2	0.4	0.6	0.5	0.1	*	-	-	-	1.9
	5	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.3	0.7	0.9	0.6	0.2	*	-	-	-	2.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.4

\* Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	NOVEMBER 1, 2001														TOTAL	
COLOR		STAPLE															
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	-	*	*	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
43	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1	
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.2	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL-----		-	-	*	0.1	1.1	6.6	26.7	39.8	20.8	4.3	0.5	0.1	*	-	100.0	
EXTRANEEOUS MATTER																Average Staple	33.9
																Percent Tenderable	67.7
Bark - Level 1		0.5															
Bark - Level 2		-															
Grass - Level 1		0.3															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

289,500 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY		November 1, 2007															STAPLE	
COLOR	LEAF	26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.		
11 & 21	1-2	-	-	-	-	-	-	-	-	2.0	4.2	3.0	-	-	-	9.1		
	3	-	-	-	-	-	-	-	-	8.1	7.5	12.6	-	-	-	28.2		
	4	-	-	-	-	-	-	-	-	0.6	1.7	0.6	-	-	-	3.0		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	10.7	13.4	16.1	-	-	-	40.3		
31	1-2	-	-	-	-	-	-	-	-	-	0.1	0.4	-	-	-	0.5		
	3	-	-	-	-	-	-	-	-	0.6	0.5	1.5	-	-	-	2.6		
	4	-	-	-	-	-	-	-	-	2.3	1.5	0.2	-	-	-	4.1		
	5	-	-	-	-	-	-	-	-	8.7	1.7	-	-	-	-	10.5		
	6	-	-	-	-	-	-	-	-	4.9	0.2	0.1	-	-	-	5.3		
	7	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	0.7		
	TOTAL----	-	-	-	-	-	-	-	-	17.4	4.1	2.2	-	-	-	23.6		
41	1-2	-	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	0.2		
	3	-	-	-	-	-	-	-	-	0.6	0.9	-	-	-	-	1.5		
	4	-	-	-	-	-	-	-	-	3.0	2.0	-	-	-	-	4.9		
	5	-	-	-	-	-	-	-	-	7.4	1.5	-	-	-	-	8.9		
	6	-	-	-	-	-	-	-	-	3.6	0.2	-	-	-	-	3.8		
	7	-	-	-	-	-	-	-	-	14.7	4.7	-	-	-	-	19.3		
	TOTAL----	-	-	-	-	-	-	-	-	14.7	4.7	-	-	-	-	19.3		
51	1-2	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.1		
	3	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.1		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	0.2	-	-	-	-	-	-	-	0.2		
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 & 22	1-2	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.4		
	3	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	0.5		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	0.9		
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	0.2		
	4	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	0.1		
	5	-	-	-	-	-	-	-	-	-	1.6	-	-	-	-	1.6		
	6	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.4		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	-	-	-	-	2.2	0.1	-	-	-	2.3		
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	0.6		
	6	-	-	-	-	-	-	-	-	0.2	0.2	-	-	-	-	0.5		
	7	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	0.1		
	TOTAL----	-	-	-	-	-	-	-	-	0.2	1.0	-	-	-	-	1.2		
52	1-2	-	-	-	-	-	2.1	0.6	0.1	-	-	-	-	-	-	2.8		
	3	-	-	-	-	-	0.1	0.9	1.0	-	-	-	-	-	-	2.0		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----	-	-	-	-	-	2.2	1.5	1.1	-	-	-	-	-	-	4.8		

\* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.		
62	1-2	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.1	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	0.1		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	0.1	
33	1-2	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	0.1		
	3	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	0.6		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	0.1		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	0.9	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	1.6	-	-	-	-	1.6		
	6	-	-	-	-	-	-	-	-	-	1.6	-	-	-	-	1.6		
	7	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.4		
	TOTAL----		-	-	-	-	-	-	-	-	-	3.6	-	-	-	-	3.6	
53	1-2	-	-	-	-	-	0.2	-	0.2	-	-	-	-	-	-	0.5		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	0.2	-	0.2	-	-	-	-	-	-	0.5	
63	1-2	-	-	-	-	-	0.1	-	1.5	-	-	-	-	-	-	1.6		
	3	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	0.5		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	0.1	-	2.0	-	-	-	-	-	-	2.1	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL-----			-	-	-	-	-	2.6	1.7	3.4	43.0	30.8	18.5	-	-	-	100.0	
EXTRANEEOUS MATTER																	Average Staple	35.5
Bark - Level 1		12.1															Percent Tenderable	57.6
Bark - Level 2		-																
Grass - Level 1		-																
Grass - Level 2		-																
Prep - Level 1		-																
Prep - Level 2		-																
Other - Level 1		-																
Other - Level 1		-																

812 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
31	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.4	3.1	7.0	4.5	2.7	0.9	*	-	-	18.6
	4	-	-	-	-	*	*	0.7	3.0	3.0	1.8	1.0	*	*	-	9.6
	5	-	-	-	-	-	-	*	0.1	0.2	0.1	0.1	*	-	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.5	3.8	10.1	7.7	4.6	2.0	0.1	*	-	28.8
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.3	3.0	6.4	4.3	3.1	0.8	*	-	-	17.9
	4	-	-	-	-	*	0.3	4.0	12.9	11.4	7.3	3.3	0.1	*	-	39.3
	5	-	-	-	-	-	*	0.1	0.9	1.8	1.5	0.8	0.1	*	-	5.2
	6	-	-	-	-	-	*	0.1	0.3	0.3	0.1	0.1	*	*	-	0.9
	7	-	-	-	-	-	-	-	0.1	0.1	0.1	*	*	-	-	0.1
	TOTAL----	-	-	-	-	*	0.6	7.1	20.2	17.9	12.3	5.1	0.2	*	-	63.5
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	0.1	0.3	0.2	0.2	0.1	*	*	-	-	0.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	-	-	0.7
42	1-2	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.7	1.0	0.7	0.3	*	-	-	2.8
	5	-	-	-	-	-	*	*	0.1	0.4	0.5	0.2	*	-	-	1.2
	6	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.9	1.7	1.4	0.5	*	*	-	4.8
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	-	0.9

\* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY		LEAF	STAPLE																
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	*	-	*	-	-	*	-	-	*		
13 & 23	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
33	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	4		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	5		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
43	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	4		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
	5		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	6		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	7		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
TOTAL----			-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2		
53	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	4		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
	5		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	6		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	7		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
TOTAL----			-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.2		
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	*	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
24-54	1-7		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7		-	-	-	-	-	*	-	*	*	*	-	-	-	-	*		
All Colors	8 2/		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL-----			-	-	-	-	*	1.1	11.2	32.1	28.3	19.0	7.8	0.3	*	-	100.0		
EXTRANEEOUS MATTER																	Average Staple	34.8	
																	Percent Tenderable	81.9	
Bark - Level 1			0.2																
Bark - Level 2			-																
Grass - Level 1			0.2																
Grass - Level 2			-																
Prep - Level 1			*																
Prep - Level 2			-																
Other - Level 1			*																
Other - Level 1			-																

437,708 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 11. — Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
31	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	3	-	-	-	*	0.1	0.9	3.4	4.9	3.6	1.5	0.5	*	*	-	14.9
	4	-	-	-	*	*	0.3	1.9	3.9	3.4	1.5	0.6	0.1	*	-	11.7
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	0.1	1.2	5.4	9.0	7.2	3.1	1.1	0.1	*	-	27.1
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	0.1	0.5	2.0	3.1	2.5	1.2	0.4	*	*	-	9.7
	4	-	-	-	*	*	0.8	4.7	11.8	12.0	5.1	1.8	0.1	*	*	36.6
	5	-	-	-	*	*	0.1	0.7	2.3	3.2	1.7	0.8	0.1	*	*	9.0
	6	-	-	-	*	*	*	*	0.2	0.2	0.1	0.1	*	*	-	0.6
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	0.1	1.5	7.5	17.4	18.0	8.1	3.1	0.3	*	*	56.0
51	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	0.5
	5	-	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	*	*	0.7
	6	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.6	0.5	0.2	*	*	*	1.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7
	4	-	-	-	*	*	*	0.1	0.4	0.5	0.2	*	*	*	*	1.3
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	*	0.1	0.2	0.7	0.8	0.3	0.1	*	*	-	2.1
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	*	*	0.9
	4	-	-	-	*	*	0.1	0.7	2.0	2.5	1.0	0.2	*	*	*	6.5
	5	-	-	-	*	*	*	0.2	1.0	1.5	0.7	0.1	*	*	*	3.6
	6	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	0.2	1.1	3.3	4.4	1.9	0.4	*	*	*	11.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	0.3
	5	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	0.2	0.4	0.2	0.1	*	*	*	1.0

\* Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
33	1-2	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
43	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL, ALL-----		-	-	*	*	0.3	3.0	14.4	31.1	31.6	14.3	4.9	0.5	*	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

912,535 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.5	0.7	0.4	0.1	*	*	-	-	1.8
	3	-	-	-	*	*	0.1	0.6	1.7	1.4	0.6	0.1	-	-	-	4.5
	4	-	-	-	-	*	*	*	0.2	0.3	0.2	*	*	-	-	0.9
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.2	1.1	2.6	2.1	1.0	0.2	*	-	-	7.2
31	1-2	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.5
	3	-	-	-	*	*	0.4	1.4	3.3	3.4	1.4	0.2	*	-	-	10.2
	4	-	-	-	*	*	0.1	0.6	2.2	4.0	2.0	0.3	*	-	-	9.2
	5	-	-	-	-	*	*	*	0.3	0.8	0.6	0.1	*	-	-	1.9
	6	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	0.1	0.6	2.2	6.0	8.4	4.1	0.7	*	-	-	22.0
41	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.2	0.9	2.3	3.1	1.3	0.2	*	-	-	8.0
	4	-	-	-	-	*	0.1	0.8	3.1	5.7	3.1	0.5	*	-	-	13.5
	5	-	-	-	-	*	*	0.2	1.0	3.1	2.6	0.8	*	-	-	7.8
	6	-	-	-	*	*	*	*	0.3	1.2	1.6	0.9	*	-	-	4.1
	7	-	-	-	*	*	*	*	*	0.2	0.4	0.3	*	-	-	1.0
TOTAL----		-	-	-	*	*	0.4	2.1	6.9	13.4	9.0	2.7	0.1	-	-	34.6
51	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	-	-	0.7
	5	-	-	-	-	*	*	*	0.1	0.4	0.5	0.2	*	-	-	1.3
	6	-	-	-	-	*	*	*	0.1	0.4	0.8	0.5	*	-	-	1.8
	7	-	-	-	-	*	*	*	*	0.2	0.4	0.5	*	*	*	1.1
TOTAL----		-	-	-	-	*	*	0.1	0.5	1.4	1.9	1.2	*	*	*	5.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	*	0.1	0.3	0.4	0.1	*	-	-	-	0.9
	4	-	-	-	*	*	*	*	0.1	0.2	*	*	-	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	0.5	0.6	0.1	*	-	-	-	-	1.3
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.2	0.4	0.5	0.2	*	*	*	-	-	1.4
	4	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.3	0.7	0.8	0.5	0.2	0.1	*	-	-	2.6
42	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.4	1.4	2.5	2.0	0.4	*	*	-	-	6.8
	4	-	-	-	*	*	0.4	1.4	3.3	3.9	1.2	0.1	*	-	-	10.3
	5	-	-	-	*	*	0.1	0.2	0.7	1.2	0.6	0.1	*	-	-	3.0
	6	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	-	-	0.7
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
TOTAL----		-	-	-	*	0.1	0.9	3.1	6.6	7.4	2.5	0.4	*	-	-	21.0
52	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.3	0.2	*	*	-	-	-	0.8
	4	-	-	-	*	*	0.1	0.2	0.5	0.6	0.2	*	*	-	-	1.6
	5	-	-	-	*	*	*	0.1	0.3	0.5	0.3	0.1	*	-	-	1.3
	6	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	-	-	0.7
	7	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	0.3
TOTAL----		-	-	-	*	0.1	0.5	1.3	1.6	0.8	0.3	*	-	-	-	4.7

\* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	*	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	0.8
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	0.1	*	*	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	*	0.5
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL, ALL-----		-	-	-	*	0.3	2.7	10.3	25.6	35.7	19.7	5.6	0.2	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.8
		Percent Tenderable														57.1
Bark - Level 1		*														
Bark - Level 2		*														
Grass - Level 1		*														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

586,731 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY		STAPLE														
COLOR	LEAF	26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
11 & 21	1-2	-	-	-	-	-	-	-	1.2	5.8	24.1	31.9	6.5	1.2	-	70.8
	3	-	-	-	-	-	-	-	0.2	2.5	5.4	6.6	2.9	0.9	-	18.5
	4	-	-	-	-	-	-	-	-	0.1	0.2	0.3	0.2	-	-	0.7
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	1.5	8.4	29.7	38.8	9.6	2.1	-	90.0
31	1-2	-	-	-	-	-	-	-	1.1	0.9	1.2	0.6	-	-	-	3.8
	3	-	-	-	-	-	-	-	0.2	1.6	2.1	0.7	0.4	-	-	4.9
	4	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	1.2	2.5	3.6	1.3	0.4	-	-	9.1
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	0.3	0.5	-	0.8
	4	-	-	-	-	-	-	-	-	-	-	-	-	0.1	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	0.3	0.6	-	0.9
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	-	-	2.7	10.9	33.3	40.1	10.3	2.7	-	100.0
EXTRANEEOUS MATTER																
																Average Staple
																36.5
																Percent Tenderable
																85.3
Bark - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1,214 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	*	*	0.1	0.3	0.4	0.4	0.2	*	*	*	*	*	1.4
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.3	0.5	0.5	0.2	*	*	*	*	*	1.7
31	1-2	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.4
	3	-	-	*	0.2	1.2	3.2	5.8	7.0	4.0	0.8	0.1	*	*	*	22.3
	4	-	-	*	0.1	0.3	0.8	1.8	2.8	1.9	0.6	0.2	*	*	*	8.5
	5	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.5
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	0.1	0.3	1.5	4.2	7.8	9.9	6.0	1.5	0.3	0.1	*	*	31.8
41	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	0.2	1.4	3.3	5.2	6.0	3.3	0.7	0.1	*	*	*	20.2
	4	-	-	*	0.1	0.7	2.1	5.3	8.4	6.3	2.1	0.5	0.1	*	*	25.6
	5	-	-	*	*	0.2	0.4	1.0	2.2	2.3	1.0	0.3	0.1	*	*	7.6
	6	-	-	*	*	*	0.1	0.2	0.2	0.3	0.2	0.1	*	*	*	1.0
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	TOTAL----	-	-	*	0.3	2.3	5.9	11.8	16.8	12.2	4.0	1.0	0.1	*	*	54.7
51	1-2	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	-	-	*	-	-	-	-	-	-	0.2
	4	-	-	-	-	*	-	-	0.1	0.1	0.1	*	*	*	*	0.4
	5	-	-	-	-	*	-	-	0.1	0.1	0.1	*	*	*	*	0.5
	6	-	-	-	-	*	-	-	0.1	0.1	0.1	*	*	*	*	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	TOTAL----	-	-	-	-	0.1	0.1	0.2	0.4	0.3	0.2	0.1	*	*	*	1.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
32	1-2	-	-	*	*	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	*	*	1.1
	4	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	*	*	*	0.9
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	0.2	0.4	0.6	0.5	0.2	0.1	*	*	*	*	2.2
42	1-2	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	*	0.2	0.5	0.6	0.4	0.2	*	*	*	*	*	2.0
	4	-	-	-	*	0.2	0.5	0.9	1.0	0.6	0.2	*	*	*	*	3.6
	5	-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	*	1.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	0.1	0.5	1.2	1.9	1.9	1.1	0.4	0.1	*	*	*	7.2
52	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	0.2
	5	-	-	-	-	*	-	0.1	0.1	*	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	0.1	0.1	0.2	0.1	*	*	*	*	*	0.6

\* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	-	-	-	*	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	*	*	-	-	-	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	-	-	-	*	-	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	*	*	*	*	*	-	-	-	*	*	-	-	*	
	6	-	-	-	-	-	*	-	-	-	*	-	-	-	-	*	
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*	
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	-	
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*	
	7	-	-	*	*	*	*	*	*	-	-	-	-	-	-	*	
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*	
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*	
TOTAL, ALL-----		-	-	0.2	0.8	4.8	12.4	23.1	30.3	20.4	6.2	1.6	0.2	*	*	100.0	
EXTRANEEOUS MATTER																Average Staple	33.7
Bark - Level 1		0.2														Percent Tenderable	58.7
Bark - Level 2		-															
Grass - Level 1		0.5															
Grass - Level 2		-															
Prep - Level 1		0.1															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

368,043 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	0.1	0.4	1.9	9.0	16.4	12.0	5.2	0.8	0.1	*	45.9
	3	-	-	-	*	0.1	0.3	1.4	5.7	12.2	11.7	4.7	0.9	0.1	-	37.0
	4	-	-	-	-	*	0.1	0.3	0.5	1.2	0.9	0.3	*	-	-	3.4
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.2	0.9	3.6	15.3	29.9	24.6	10.1	1.7	0.2	*	86.7
31	1-2	-	-	-	-	*	*	*	0.1	0.4	0.5	0.3	*	*	-	1.4
	3	-	-	-	*	*	0.1	0.1	0.4	1.2	1.7	0.7	0.1	*	*	4.4
	4	-	-	-	-	*	*	0.1	0.3	0.5	0.5	0.2	*	*	*	1.7
	5	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	-	-	0.6
	6	-	-	-	-	-	*	*	*	*	0.1	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.3	1.0	2.4	2.9	1.2	0.2	*	*	8.2
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	0.1	*	-	-	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	-	-	-	0.4
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	*	*	*	*	0.1	0.1	0.2	*	-	-	-	-	0.5
	3	-	-	*	*	*	0.2	0.3	0.4	0.6	0.4	0.1	-	-	-	2.0
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	-	0.6
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.3	0.4	0.8	1.0	0.5	0.1	-	-	-	3.2
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	-	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	1.1
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	-	*	*	*	*	*	*	-	-	0.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	*	0.1	*	*	-	-	-	-	0.2
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	-	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL, ALL-----		-	-	*	0.1	0.3	1.5	4.7	17.5	33.7	28.4	11.5	1.9	0.2	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.2															
Bark - Level 2	-															
Grass - Level 1	*															
Grass - Level 2	-															
Prep - Level 1	-															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

64,208 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	0.1	*	*	*	*	-	-	-	-	-	0.2
	3	-	-	0.1	0.2	0.5	0.7	0.6	0.6	0.3	*	-	-	-	-	3.0
	4	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.2
	5	-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	0.1	0.3	0.6	0.8	0.7	0.7	0.3	*	-	-	-	-	3.4
31	1-2	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	-	-	0.4
	3	-	-	*	0.5	3.7	6.2	8.2	7.5	3.1	0.7	0.1	-	-	-	30.0
	4	-	-	*	0.2	1.1	2.2	3.1	3.1	1.7	0.6	0.3	0.1	*	-	12.5
	5	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	-	0.6
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	0.8	4.9	8.7	11.5	10.8	4.8	1.4	0.5	0.1	*	-	43.5
41	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	0.2	1.8	3.1	3.1	2.6	0.8	0.2	*	-	-	-	11.8
	4	-	-	*	0.3	1.3	2.6	3.6	4.1	2.1	0.7	0.3	0.1	-	-	15.1
	5	-	-	*	0.1	0.5	0.6	1.0	1.3	0.9	0.5	0.4	*	-	-	5.4
	6	-	-	*	*	0.1	0.1	0.2	0.4	0.2	0.1	0.1	-	-	-	1.1
	7	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	TOTAL----	-	-	0.1	0.5	3.7	6.4	8.0	8.5	4.1	1.4	0.8	0.1	-	-	33.6
51	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	0.1	0.1	*	-	-	-	*	0.1	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	*	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	-	0.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	-
	3	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	-	0.6
	4	-	-	*	*	0.1	*	*	*	*	-	-	-	-	-	0.1
	5	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	-	0.7
32	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	-
	3	-	-	*	0.1	0.4	0.9	0.8	0.6	0.3	0.1	*	*	-	-	3.0
	4	-	-	*	0.1	0.5	0.9	0.8	0.8	0.4	0.2	*	*	-	-	3.7
	5	-	-	-	-	*	0.1	0.1	0.2	0.1	*	*	*	-	-	0.6
	6	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	*	0.1	0.9	1.8	1.7	1.6	0.8	0.3	*	*	-	-	7.4
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	0.3	0.7	0.4	0.3	0.1	*	*	-	-	-	1.9
	4	-	-	*	0.1	0.6	0.9	1.1	1.3	0.7	0.2	*	-	-	-	5.0
	5	-	-	*	0.1	0.2	0.3	0.6	0.8	0.4	0.1	*	*	-	-	2.5
	6	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.6
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	0.1
	TOTAL----	-	-	*	0.2	1.0	1.9	2.3	2.6	1.4	0.4	0.1	*	-	-	10.0
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4

\* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY		November 1, 2007														
	LEAF	STAPLE														
COLOR		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
	4	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	-	0.3
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL, ALL-----		-	-	0.3	2.0	11.4	20.0	24.8	24.8	11.6	3.6	1.4	0.2	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														
		Average Staple Percent Tenderable														
		33.2 46.9														

62,810 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 17. — Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	*	*	*	0.1	0.1	0.1	0.2	*	*	-	-	-	0.6
	4	-	-	*	*	*	*	0.1	*	*	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	-	-	-	0.8
31	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	*	0.1	0.3	0.6	0.8	0.4	0.1	*	*	-	-	2.3
	4	-	-	*	*	0.1	0.2	0.5	0.8	0.5	0.2	*	*	-	-	2.4
	5	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	0.2	0.5	1.2	1.7	1.0	0.4	*	*	-	-	5.0
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	0.2	0.8	1.1	0.6	0.2	*	*	-	-	3.0
	4	-	-	-	*	*	0.2	0.9	1.9	1.4	0.6	0.1	*	-	-	5.2
	5	-	-	-	*	*	*	0.1	0.4	0.4	0.2	0.1	*	-	-	1.3
	6	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.3
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	0.4	1.9	3.5	2.6	1.1	0.3	*	-	-	9.8
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	*	*	*	0.1	0.2	0.2	*	*	*	-	-	-	0.6
	4	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	*	-	-	0.8
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	*	*	0.3	1.7	2.1	1.1	0.3	*	*	-	-	-	5.6
	4	-	-	-	*	0.1	0.7	1.0	0.7	0.2	*	*	*	-	-	2.8
	5	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	0.5	2.5	3.2	1.9	0.6	0.1	*	*	-	-	8.8
42	1-2	-	-	-	-	-	0.1	0.1	-	-	*	*	-	-	-	0.3
	3	-	-	*	*	0.8	5.7	7.6	4.6	1.3	0.3	*	*	-	-	20.4
	4	-	-	*	*	0.4	3.5	7.0	6.2	2.8	0.8	0.1	*	-	-	20.9
	5	-	-	-	*	*	0.4	1.0	1.2	0.8	0.4	0.1	*	-	-	3.8
	6	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.5
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	0.1	1.2	9.8	15.8	12.2	5.1	1.5	0.3	*	-	-	45.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	0.2	0.3	0.2	0.1	*	*	-	-	-	0.7
	4	-	-	-	*	*	0.2	0.6	0.7	0.3	0.1	*	-	-	-	2.0
	5	-	-	-	-	*	0.1	0.2	0.3	0.3	0.2	*	*	-	-	1.1
	6	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	TOTAL----	-	-	-	*	*	0.4	1.1	1.2	0.8	0.5	0.1	*	-	-	4.3

\* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY		November 1, 2007														
	LEAF	STAPLE														
COLOR		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
62	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	-	-	*	-	-	-
13 & 23	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	-	-	-	-	-
33	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	0.1	0.4	0.3	0.1	*	*	*	-	-	-	0.9
	4	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	0.5	0.5	0.2	0.1	*	*	-	-	-	1.3
43	1-2	-	-	-	*	*	0.1	*	*	*	*	-	-	-	-	0.2
	3	-	-	*	*	0.8	3.8	3.5	1.3	0.3	*	*	-	-	-	9.8
	4	-	-	*	*	0.4	2.4	3.1	1.8	0.5	0.1	*	*	-	-	8.4
	5	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	*	-	-	1.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	-
	TOTAL----	-	-	*	0.1	1.3	6.5	7.1	3.5	1.0	0.2	*	*	-	-	19.7
53	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	0.2	0.2	0.1	*	*	*	*	-	-	0.6
	4	-	-	-	*	*	0.3	0.6	0.4	0.1	*	*	-	-	-	1.4
	5	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	-	-	-	0.7
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	0.1	0.6	1.0	0.7	0.3	0.1	*	*	-	-	2.9
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	0.1	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	*	*	*	0.1	*	*	*	-	-	-	-	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
TOTAL, ALL-----		-	-	*	0.3	3.6	21.7	32.4	25.3	11.9	4.1	0.8	*	-	-	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		*														
Bark - Level 2		-														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	0.3	1.1	2.8	5.1	5.9	4.4	0.7	0.1	*	20.4
	3	-	-	*	*	*	0.2	0.6	1.5	2.9	3.6	3.5	0.8	0.1	*	13.3
	4	-	-	-	*	*	*	0.1	0.2	0.3	0.3	0.3	0.1	*	*	1.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	0.1	0.5	1.8	4.5	8.2	9.8	8.3	1.6	0.2	*	35.1
31	1-2	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	3	-	-	*	*	*	0.1	0.6	0.8	0.9	0.8	1.4	0.7	0.1	*	5.5
	4	-	-	*	*	*	0.1	0.4	0.8	0.8	0.8	1.0	0.8	0.2	*	4.8
	5	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	0.9
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	*	0.3	1.1	2.0	2.1	1.9	2.5	1.6	0.3	*	11.9
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	3	-	-	-	-	*	0.1	0.3	0.5	0.6	0.9	2.0	0.8	0.1	*	5.3
	4	-	-	*	*	*	*	0.3	0.8	1.3	2.5	7.4	3.9	0.7	*	17.0
	5	-	-	-	*	*	*	0.1	0.2	0.3	0.5	1.2	0.8	0.2	*	3.4
	6	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	TOTAL----	-	-	*	*	*	0.2	0.9	1.7	2.4	4.0	10.6	5.5	0.9	*	26.2
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.2	0.1	*	*	0.1	*	*	-	0.6
	4	-	-	-	-	*	*	0.2	0.3	0.3	0.6	2.2	0.9	-	*	4.7
	5	-	-	-	-	*	*	*	0.1	0.2	0.5	1.4	0.5	0.1	*	2.8
	6	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	0.1	0.4	0.6	0.6	1.2	3.9	1.5	0.2	*	8.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	0.1	*	*	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	*	*	*	*	*	0.1	0.1	*	0.1	*	*	-	0.4
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	*	0.1	0.2	0.3	0.2	0.2	*	*	*	*	1.0
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	*	*	0.2	0.2	0.2	0.1	*	*	*	0.8
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.7
	4	-	-	-	-	*	*	0.1	0.3	0.7	1.0	1.2	0.4	0.1	*	3.7
	5	-	-	-	-	*	*	*	0.1	0.2	0.3	0.4	0.2	0.1	*	1.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	0.1	0.5	1.1	1.4	1.8	0.6	0.1	*	*	5.7
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	-	*	*	0.1	0.3	0.7	1.0	1.3	0.2	*	*	3.6
	5	-	-	-	-	*	*	*	0.1	0.4	0.8	1.2	0.3	0.1	*	2.9
	6	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	0.1	0.4	1.2	1.9	2.6	0.6	0.1	*	*	6.9

\* Less than 0.05 percent.

Table 18. — Texas: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.5
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	0.1	0.3	0.3	0.3	0.1	*	*	1.0
	5	-	-	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	0.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	*	0.2	0.6	0.6	0.5	0.1	*	*	2.1
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.5
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		-	-	*	*	0.2	1.2	4.7	10.4	16.9	21.7	31.0	11.8	1.9	0.1	100.0
EXTRANEEOUS MATTER		Average Staple														36.0
Bark - Level 1		Percent Tenderable														69.5
Bark - Level 2																
Grass - Level 1																
Grass - Level 2																
Prep - Level 1																
Prep - Level 2																
Other - Level 1																
Other - Level 1																

1,526,723 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	0.3	0.5	0.5	0.3	0.1	*	-	-	-	1.8
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	-	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.3	0.5	0.6	0.4	0.2	*	-	-	-	2.1
31	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	*	0.4	4.0	9.6	10.5	4.8	1.8	0.5	*	-	-	31.6
	4	-	-	-	*	0.1	1.1	3.3	5.5	4.0	2.1	0.7	*	-	-	16.9
	5	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.5
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.5	5.1	13.0	16.2	9.0	4.1	1.3	*	-	-	49.2
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	0.1	1.8	5.9	5.0	1.7	0.5	0.1	*	-	-	15.1
	4	-	-	-	*	0.2	2.0	6.5	7.2	4.5	1.7	0.3	*	-	-	22.4
	5	-	-	-	-	*	0.2	0.5	0.8	1.0	0.6	0.3	*	-	-	3.4
	6	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	-	-	-	0.4
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	0.3	3.9	12.9	13.1	7.3	2.9	0.8	*	-	-	41.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.1	0.1	*	*	*	-	-	-	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.4	0.4	0.4	*	0.1	-	-	-	-	1.3
	4	-	-	-	-	*	0.1	0.4	0.3	0.1	0.1	*	-	-	-	1.0
	5	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.5	0.8	0.7	0.2	0.2	*	*	-	-	2.5
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.3	0.6	0.4	*	*	*	-	-	-	1.4
	4	-	-	-	-	-	0.4	1.2	0.6	0.2	*	-	-	-	-	2.4
	5	-	-	-	-	-	-	0.1	0.1	0.1	*	-	-	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	0.1	0.6	1.9	1.1	0.3	*	*	-	-	-	4.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1

\* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:  
November 1, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	-	0.2
43	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL-----		-	-	-	*	1.0	10.6	29.3	31.9	17.4	7.6	2.2	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		1.8														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

41,819 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through November 1, 2007

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
<b>MIKE</b>									
24 & below	0.1	-	-	-	-	-	-	-	-
25	0.1	*	-	-	-	-	-	-	*
26	0.2	*	-	*	-	-	-	-	*
27	0.6	*	-	*	-	*	-	-	*
28	1.2	*	*	*	*	*	-	-	*
29	2.0	*	*	*	-	*	-	-	0.1
30	2.8	*	*	*	-	*	-	-	0.1
31	3.5	*	0.1	0.1	*	*	-	*	0.2
32	4.2	*	0.1	0.2	*	*	-	*	0.4
33	4.7	0.1	0.3	0.4	*	*	-	*	0.7
34	4.6	0.1	0.5	0.6	*	0.1	-	*	1.1
35	4.6	0.1	1.1	1.1	0.1	0.1	-	*	1.4
36	4.8	0.2	1.9	1.8	0.2	0.2	17.2	*	1.8
37	4.7	0.5	2.9	2.7	0.6	0.2	4.1	0.1	2.3
38	4.6	0.8	4.2	3.7	1.0	0.3	-	0.2	2.9
39	4.6	1.7	5.5	5.4	1.7	0.5	1.5	0.4	3.7
40	4.2	2.3	6.9	7.3	2.2	0.8	1.5	0.9	4.7
41	4.4	3.0	7.8	9.8	2.6	1.1	4.3	1.4	5.6
42	4.5	4.9	8.5	11.7	3.4	1.7	11.0	2.8	6.9
43	4.5	6.6	9.3	13.4	4.6	2.8	14.3	5.0	8.1
44	4.5	8.0	9.4	12.5	5.7	4.6	6.5	8.0	9.3
45	4.6	9.2	9.3	11.0	7.7	7.3	13.7	12.2	10.0
46	5.4	10.9	8.7	8.2	9.7	11.4	13.5	16.7	10.4
47	5.4	12.0	7.8	4.6	12.3	15.1	6.5	18.6	9.7
48	4.6	11.4	6.0	3.1	13.8	17.5	4.1	15.6	8.0
49	3.6	10.8	4.6	1.4	13.8	15.5	1.7	10.1	5.6
50	3.0	7.9	2.8	0.6	10.7	10.5	-	4.8	3.6
51	1.9	4.5	1.4	0.1	6.4	5.6	-	2.3	1.9
52	1.2	2.7	0.6	0.1	2.6	2.6	0.1	0.7	0.9
53	0.5	1.3	0.2	*	0.8	1.2	-	0.2	0.3
54	0.2	0.4	*	0.1	0.1	0.4	-	*	0.1
55	*	0.1	*	*	*	0.2	-	*	*
56	*	*	*	-	*	*	-	*	*
57	*	-	-	-	-	*	-	-	*
58	-	-	-	-	-	-	-	-	*
59	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-
<b>Average mike</b>	<b>40</b>	<b>46</b>	<b>44</b>	<b>43</b>	<b>47</b>	<b>47</b>	<b>43</b>	<b>46</b>	<b>44</b>
<b>FIBER STRENGTH 1/</b>									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	*	-
19	*	-	*	-	-	-	-	*	-
20	*	-	*	-	-	-	-	-	*
21	0.2	*	*	-	*	*	-	*	*
22	0.8	*	*	-	0.1	*	-	*	*
23	3.3	*	0.2	-	0.4	0.5	-	0.2	0.2
24	7.9	0.2	0.6	-	1.9	2.4	-	1.0	0.9
25	12.9	1.1	1.8	*	7.1	7.0	-	4.0	3.4
26	17.6	4.5	4.7	0.1	16.5	14.7	0.1	12.0	8.6
27	19.9	9.4	10.1	0.5	24.9	23.0	4.1	21.9	16.3
28	16.2	18.7	18.0	1.4	23.9	24.1	16.4	22.9	22.0
29	10.5	25.6	24.9	2.6	15.0	17.0	19.8	19.0	21.8
30	6.0	22.5	22.6	2.6	6.9	7.8	35.3	11.3	15.1
31	2.8	12.2	11.4	3.4	2.3	2.8	5.9	5.3	7.6
32	1.1	4.2	4.1	8.3	0.8	0.7	3.1	1.8	3.1
33	0.4	1.1	1.2	23.7	0.2	0.1	11.0	0.5	0.7
34	0.1	0.3	0.3	31.4	*	*	4.3	0.1	0.2
35	*	*	0.1	18.3	-	*	-	*	0.1
36 & above	*	-	*	7.8	-	*	-	*	*
<b>Average strength</b>	<b>26.9</b>	<b>29.1</b>	<b>29.0</b>	<b>33.5</b>	<b>27.5</b>	<b>27.6</b>	<b>30.0</b>	<b>28.0</b>	<b>28.4</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

\* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through November 1, 2007

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
<b>MIKE</b>									
24 & below	*	-	*	-	*	*	*	-	*
25	*	-	*	-	*	*	*	-	*
26	*	-	*	-	*	*	*	-	*
27	*	-	*	-	*	*	*	-	*
28	*	-	*	-	*	0.1	0.1	-	0.1
29	0.1	0.1	*	*	0.1	0.2	0.1	-	0.1
30	0.1	-	*	*	0.2	0.4	0.2	-	0.2
31	0.2	2.5	0.1	0.1	0.4	0.7	0.2	*	0.3
32	0.4	4.6	0.1	0.1	0.8	1.4	0.4	*	0.5
33	0.7	3.6	0.2	0.2	1.0	2.5	0.7	*	0.7
34	1.4	2.1	0.3	0.3	1.3	3.8	1.0	*	1.1
35	2.2	3.7	0.6	0.5	2.0	5.8	1.4	0.1	1.6
36	3.4	5.4	0.8	0.9	2.9	7.8	1.9	0.1	2.2
37	4.5	6.7	1.2	1.6	4.1	9.2	2.7	0.2	3.0
38	5.8	0.9	1.7	2.2	5.0	9.8	3.7	0.3	3.8
39	7.5	2.9	2.6	2.4	5.5	9.9	4.9	0.5	4.7
40	8.5	7.2	3.6	4.2	5.8	9.4	6.4	1.0	5.7
41	9.4	6.8	4.7	6.4	6.6	8.5	8.0	1.8	6.6
42	9.8	11.9	5.4	8.9	7.1	7.5	9.4	2.6	7.5
43	9.6	8.7	6.5	10.2	7.2	6.3	10.4	4.3	8.3
44	8.7	4.0	7.5	10.3	7.2	5.1	10.3	5.8	8.6
45	7.9	8.9	8.5	9.0	7.1	3.8	9.9	6.6	8.9
46	6.5	7.5	9.5	8.6	7.5	2.7	8.6	7.3	8.9
47	4.9	7.0	9.6	9.2	7.3	1.9	7.0	9.9	8.3
48	3.3	3.3	9.4	9.5	6.8	1.2	5.4	11.2	7.0
49	2.3	1.4	8.7	7.1	5.6	0.8	3.7	11.2	5.2
50	1.5	0.2	7.2	4.3	3.7	0.6	1.9	9.6	3.3
51	0.8	-	5.2	2.5	2.4	0.3	1.0	8.9	1.8
52	0.3	0.2	3.3	0.9	1.3	0.2	0.4	6.9	0.9
53	0.1	0.4	1.5	0.3	0.5	0.1	0.2	4.4	0.4
54	*	-	1.0	0.1	0.2	*	*	3.3	0.2
55	*	-	0.5	*	0.2	*	*	2.3	0.1
56	*	-	0.1	*	0.1	-	*	1.0	*
57	-	-	*	*	*	-	*	0.4	*
58	-	-	*	-	-	-	*	*	*
59	-	-	-	-	-	-	*	-	*
60 & above	-	-	-	-	-	-	-	-	-
<b>Average mike</b>	<b>42</b>	<b>41</b>	<b>46</b>	<b>45</b>	<b>43</b>	<b>40</b>	<b>43</b>	<b>48</b>	<b>46</b>
<b>FIBER STRENGTH 1/</b>									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	*	*	-	*
19	*	-	-	-	-	*	*	-	*
20	*	-	*	-	*	*	*	-	*
21	*	-	*	-	0.2	0.2	*	-	*
22	0.1	-	0.2	-	1.1	1.1	*	*	0.2
23	0.4	0.1	0.6	*	2.7	3.9	0.2	*	0.6
24	1.2	0.2	1.4	*	5.1	9.1	0.8	0.1	1.8
25	2.5	4.8	3.0	0.1	9.2	13.6	2.6	0.9	4.0
26	4.7	18.0	6.0	0.7	12.4	16.1	6.4	2.9	7.9
27	8.6	16.7	11.0	3.3	14.9	16.4	11.7	8.5	13.2
28	14.0	21.9	17.0	9.5	16.8	15.1	16.1	17.9	17.5
29	19.5	11.6	20.4	19.2	15.5	11.9	17.4	23.5	19.0
30	21.1	11.4	18.3	25.4	11.1	7.5	16.1	19.9	15.8
31	15.4	11.4	12.5	21.6	6.4	3.4	13.2	14.3	9.9
32	8.0	3.3	6.4	12.8	2.9	1.2	9.0	6.9	5.2
33	3.2	0.7	2.5	5.2	1.1	0.4	4.4	3.5	2.6
34	1.0	-	0.6	1.6	0.3	0.1	1.6	1.2	1.5
35	0.2	-	0.1	0.4	0.1	*	0.4	0.3	0.7
36 & above	*	-	*	0.1	*	*	0.1	*	0.3
<b>Average strength</b>	<b>29.3</b>	<b>28.2</b>	<b>29.0</b>	<b>30.2</b>	<b>27.7</b>	<b>26.9</b>	<b>29.2</b>	<b>29.4</b>	<b>28.8</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

\* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through November 1, 2007

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
<b>UNIFORMITY 1/</b>									
72.4 & below	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	-	-
74.5-75.4	*	-	*	-	*	*	-	*	*
75.5-76.4	0.6	*	*	-	*	0.1	-	*	*
76.5-77.4	3.6	0.2	0.1	-	1.6	3.2	-	0.6	0.7
77.5-78.4	12.4	1.9	1.0	*	9.8	12.8	0.2	4.2	3.7
78.5-79.4	26.5	11.3	5.5	0.4	29.9	29.2	3.1	18.8	12.5
79.5-80.4	29.7	24.4	16.3	2.6	37.1	32.8	4.7	30.0	24.6
80.5-81.4	19.1	33.3	35.1	20.6	16.6	16.1	30.2	24.5	30.2
81.5-82.4	7.1	22.9	34.4	40.3	4.1	4.7	46.9	15.3	22.0
82.5-83.4	1.1	5.7	6.9	22.1	0.9	1.0	14.9	5.7	6.0
83.5-84.4	0.1	0.4	0.5	11.3	0.1	0.1	-	0.8	0.3
84.5-85.4	*	-	*	2.5	*	*	-	*	*
85.5-86.4	-	-	-	0.2	-	-	-	-	-
86.5-87.4	-	-	-	-	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>79.7</b>	<b>80.8</b>	<b>81.2</b>	<b>82.3</b>	<b>79.7</b>	<b>79.6</b>	<b>81.7</b>	<b>80.5</b>	<b>80.7</b>
<b>TRASH 2/</b>									
0.0	-	*	-	*	-	-	-	-	-
0.1	0.3	58.2	0.1	42.4	0.1	0.2	0.7	*	*
0.2	4.8	32.3	1.4	41.6	3.8	8.1	15.0	2.8	1.7
0.3	17.1	6.6	7.9	10.8	19.5	27.3	19.2	14.4	9.0
0.4	22.6	1.7	16.7	2.9	27.4	29.1	9.6	24.4	17.2
0.5	20.5	0.6	21.0	1.0	22.4	18.4	5.9	23.2	20.5
0.6	14.2	0.2	19.7	0.6	13.4	9.6	2.7	16.0	18.9
0.7	8.4	0.1	13.5	0.3	7.0	4.1	4.7	9.2	13.6
0.8	5.2	0.1	8.8	0.2	3.7	1.9	6.3	5.0	9.3
0.9	2.7	*	4.3	0.1	1.3	0.5	8.7	2.0	4.0
1.0	1.7	*	2.8	*	0.7	0.4	6.7	1.3	2.6
1.1	1.0	*	1.8	*	0.3	0.2	6.4	0.8	1.6
1.2	0.7	*	1.0	*	0.2	0.1	4.6	0.5	0.9
1.3	0.4	-	0.5	-	*	*	3.3	0.2	0.3
1.4	0.2	-	0.3	-	*	*	2.6	0.1	0.2
1.5	0.1	-	0.1	-	*	*	1.5	*	0.1
1.6	0.1	-	*	-	*	*	1.5	*	*
1.7	*	-	*	-	*	*	0.2	*	*
1.8 & above	0.1	*	*	-	*	*	0.4	*	*
<b>Average trash</b>	<b>0.51</b>	<b>0.16</b>	<b>0.59</b>	<b>0.18</b>	<b>0.47</b>	<b>0.42</b>	<b>0.66</b>	<b>0.51</b>	<b>0.58</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. \* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through November 1, 2007

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
<b>UNIFORMITY 1/</b>									
72.4 & below	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	*	*	-	*
74.5-75.4	*	-	-	*	-	*	*	-	*
75.5-76.4	*	-	0.1	*	0.4	0.4	0.1	-	0.1
76.5-77.4	0.2	0.2	0.5	0.1	2.3	2.5	0.7	*	0.9
77.5-78.4	1.5	1.2	3.1	1.1	11.9	8.8	3.2	0.3	3.9
78.5-79.4	6.8	15.0	10.0	6.2	27.3	21.1	9.6	2.2	11.9
79.5-80.4	19.5	26.9	21.2	18.0	28.2	31.3	19.1	9.9	21.8
80.5-81.4	32.9	35.7	31.0	34.8	19.2	23.9	26.1	29.1	28.2
81.5-82.4	28.5	19.9	24.3	30.0	8.3	9.7	23.4	34.7	23.2
82.5-83.4	9.5	1.1	8.5	8.7	2.1	2.1	13.4	18.9	8.2
83.5-84.4	1.0	-	1.1	0.9	0.2	0.2	3.9	4.5	1.6
84.5-85.4	*	-	*	*	*	*	0.4	0.4	0.2
85.5-86.4	-	-	-	-	-	-	*	-	*
86.5-87.4	-	-	-	-	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>81.1</b>	<b>80.6</b>	<b>80.9</b>	<b>81.2</b>	<b>79.8</b>	<b>80.0</b>	<b>81.1</b>	<b>81.7</b>	<b>80.8</b>
<b>TRASH 2/</b>									
0.0	-	-	-	*	-	-	*	*	*
0.1	0.9	31.5	0.3	18.7	0.1	0.1	12.2	*	5.3
0.2	5.6	46.4	5.3	46.2	4.4	3.5	16.0	3.3	8.3
0.3	12.4	17.6	17.0	20.6	17.6	15.7	12.2	17.6	12.6
0.4	18.7	3.4	21.3	8.1	23.4	24.7	12.1	25.8	17.4
0.5	17.9	0.9	19.0	3.2	19.6	22.1	12.9	23.0	17.7
0.6	13.8	0.2	14.4	1.3	13.8	15.8	11.3	15.0	14.5
0.7	8.7	0.1	9.1	0.7	8.2	8.5	8.8	7.8	9.6
0.8	6.3	-	5.6	0.4	5.2	4.7	5.5	3.9	6.1
0.9	4.4	-	3.2	0.3	3.0	2.2	3.2	1.8	3.2
1.0	3.4	-	1.9	0.2	1.8	1.2	2.0	0.9	2.0
1.1	2.5	-	1.1	0.1	1.2	0.7	1.3	0.4	1.3
1.2	1.9	-	0.7	0.1	0.7	0.4	0.9	0.2	0.8
1.3	1.3	-	0.4	0.1	0.4	0.2	0.5	0.1	0.4
1.4	0.9	-	0.2	*	0.3	0.1	0.4	*	0.3
1.5	0.6	-	0.1	*	0.2	0.1	0.2	*	0.2
1.6	0.2	-	0.1	*	0.1	*	0.2	*	0.1
1.7	0.2	-	*	*	*	*	0.1	*	*
1.8 & above	0.2	-	0.2	*	*	*	0.3	*	0.1
<b>Average trash</b>	<b>0.58</b>	<b>0.20</b>	<b>0.52</b>	<b>0.25</b>	<b>0.52</b>	<b>0.51</b>	<b>0.47</b>	<b>0.49</b>	<b>0.51</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. \* Less than 0.05 percent.

Table 22. - Quality of American Pima cotton classed for producers by State and United States through November 1, 2007

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	-	34.8	-	0.1	34.6
	2	-	16.6	-	0.2	16.5
	3	-	0.3	-	-	0.3
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	51.7	-	0.3	51.4
02	1	-	18.5	-	26.3	18.5
	2	-	26.9	-	52.2	26.9
	3	-	2.4	-	1.6	2.4
	4	-	*	-	-	*
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	47.8	-	80.0	47.9
03	1	-	0.1	-	0.3	0.1
	2	-	0.3	-	15.3	0.4
	3	-	0.1	-	3.8	0.1
	4	-	*	-	-	*
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	0.6	-	19.5	0.7
04	1	-	*	-	-	*
	2	-	*	-	0.1	*
	3	-	-	-	-	-
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	*	-	0.1	*
05	1	-	-	-	-	-
	2	-	-	-	-	-
	3	-	-	-	-	-
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	-	-	-	-
06	1	-	-	-	-	-
	2	-	-	-	-	-
	3	-	-	-	-	-
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	-	-	-	-
07	1	-	-	-	-	-
	2	-	*	-	-	*
	3	-	-	-	-	-
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	*	-	-	*
STAPLE		-	-	-	-	-
40 & shorter		-	-	-	-	-
42		-	*	-	-	*
44		-	5.4	-	27.6	5.6
46		-	49.9	-	61.1	50.1
48 & longer		-	44.7	-	11.3	44.3
Average		-	46.8	-	45.7	46.8
UNIFORMITY		-	-	-	-	-
72.4 & below		-	-	-	-	-
72.5-73.4		-	-	-	-	-
73.5-74.4		-	-	-	-	-
74.5-75.4		-	-	-	-	-
75.5-76.4		-	-	-	-	-
76.5-77.4		-	-	-	-	-
77.5-78.4		-	-	-	-	-
78.5-79.4		-	-	-	-	-
79.5-80.4		-	-	-	-	-
80.5-81.4		-	*	-	-	*
81.5-82.4		-	0.2	-	-	0.2
82.5-83.4		-	2.8	-	-	2.8
83.5-84.4		-	20.6	-	-	20.5
84.5-85.4		-	50.2	-	39.6	50.1
85.5-86.4		-	22.3	-	60.4	22.6
86.5-87.4		-	3.6	-	-	3.6
87.5-88.4		-	0.2	-	-	0.2
88.5-89.4		-	-	-	-	-
89.5 & above		-	-	-	-	-
Average		-	85.0	-	85.6	85.0
BALES CLASSED		-	142,183	-	887	144,296

\* Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through November 1, 2007

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	-	-	-	-
25 - 26	-	-	-	-	-
27 - 29	-	*	-	-	*
30 - 32	-	0.1	-	-	0.1
33 - 34	-	0.2	-	-	0.2
35 - 36	-	2.2	-	-	2.2
37 - 42	-	78.2	-	10.0	77.6
43 - 49	-	19.3	-	90.0	19.9
50 - 52	-	-	-	-	-
53 & above	-	-	-	-	-
<b>Average</b>	-	<b>41</b>	-	<b>46</b>	<b>41</b>
ALL MIKE					
24 & below	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	*	-	-	*
30	-	*	-	-	*
31	-	*	-	-	*
32	-	*	-	-	*
33	-	0.1	-	-	0.1
34	-	0.1	-	-	0.1
35	-	0.5	-	-	0.5
36	-	1.7	-	-	1.7
37	-	4.2	-	-	4.2
38	-	8.5	-	-	8.4
39	-	14.9	-	-	14.8
40	-	19.0	-	-	18.9
41	-	17.8	-	-	17.7
42	-	13.8	-	10.0	13.7
43	-	9.6	-	4.4	9.5
44	-	5.8	-	10.8	5.8
45	-	2.6	-	15.2	2.8
46	-	1.1	-	22.7	1.2
47	-	0.2	-	34.0	0.5
48	-	*	-	2.8	0.1
49	-	-	-	-	-
50	-	-	-	-	-
51	-	-	-	-	-
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
<b>Average</b>	-	<b>41</b>	-	<b>46</b>	<b>41</b>
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	-	-	-	-	-
31	-	-	-	-	-
32	-	-	-	-	-
33	-	*	-	-	*
34	-	0.1	-	-	0.1
35	-	0.2	-	-	0.3
36	-	0.7	-	-	0.8
37	-	2.3	-	-	2.4
38	-	6.0	-	0.1	6.0
39	-	12.6	-	0.2	12.5
40	-	19.7	-	19.8	19.6
41	-	20.9	-	44.4	21.0
42	-	18.0	-	22.0	18.0
43	-	11.9	-	13.2	11.9
44	-	5.5	-	0.1	5.4
45 & above	-	2.1	-	0.1	2.0
<b>Average</b>	-	<b>40.9</b>	-	<b>41.3</b>	<b>40.9</b>
EXTRANEEOUS MATTER					
Bark	-	*	-	0.7	*
Grass	-	0.1	-	0.2	0.1
Spindle Twist	-	-	-	-	-
Preparation	-	0.1	-	-	0.1

\* Less than 0.05 percent.

1022996952